



12423 NE Whitaker Way
 Portland, OR 97230
 503-254-1794



Report Number: 23-014899/D005.R000
Report Date: 12/29/2023
ORELAP#: OR100028
Purchase Order:
Received: 12/21/23 10:05

Customer: Entourage Organics Inc
Product identity: Coast D8 10ct- Berry
Project Number: EOVP-1223D8
Client/Metric ID: .
Laboratory ID: 23-014899-0010

Summary

Potency:

Analyte	Result (%)		
Δ8-THC	4.30		CBD-Total 2.88%
CBD-A	3.08		THC-Total 0.119%
CBG-A	2.41		(Reported in percent of total sample)
CBG	0.567		
CBD	0.178		
THC-A	0.136		
CBN	0.0512		



12423 NE Whitaker Way
 Portland, OR 97230
 503-254-1794



Report Number: 23-014899/D005.R000
Report Date: 12/29/2023
ORELAP#: OR100028
Purchase Order:
Received: 12/21/23 10:05

Customer: Entourage Organics Inc
 United States of America (USA)
Product identity: Coast D8 10ct- Berry
Project Number: EOVP-1223D8
Client/Metric ID: .
Sample Date:
Laboratory ID: 23-014899-0010
Evidence of Cooling: No
Temp: 15.3
Relinquished by: client

Sample Results

Potency	Method: J AOAC 2015 V98-6 (mod) ^b			Units %	Batch: 2313884	Analyze: 12/27/23 6:41:00 PM
Analyte	As Received	Dry weight	LOQ	Notes		
CBD	0.178		0.0297			
CBD-A	3.08		0.0297			
CBD-Total	2.88		0.0557			
CBG	0.567		0.0297			
CBG-A	2.41		0.0297			
CBG-Total	2.68		0.0554			
CBN	0.0512		0.0297			
Δ10-THC-9R	< LOQ		0.0297			
Δ10-THC-9S	< LOQ		0.0297			
Δ10-THC-Total	< LOQ		0.0593			
Δ8-THC	4.30		0.0297			
Δ9-THC	< LOQ		0.0297			
THC-A	0.136		0.0297			
THC-Total	0.119		0.0557			
Total Cannabinoids	10.7					



12423 NE Whitaker Way
Portland, OR 97230
503-254-1794



Report Number: 23-014899/D005.R000
Report Date: 12/29/2023
ORELAP#: OR100028
Purchase Order:
Received: 12/21/23 10:05

Abbreviations

Limits: Action Levels per OAR-333-007-0400, OAR-333-007-0210, OAR-333-007-0220, CCR title 16-division 42. BCC-section 5723

Limit(s) of Quantitation (LOQ): The minimum levels, concentrations, or quantities of a target variable (e.g., target analyte) that can be reported with a specified degree of confidence.

^p = ISO/IEC 17025:2017 accredited method.

Units of Measure

% = Percentage of sample

% wt = µg/g divided by 10,000

Approved Signatory

Derrick Tanner
General Manager



12423 NE Whitaker Way
 Portland, OR 97230
 503-254-1794



Report Number: 23-014899/D005.R000
Report Date: 12/29/2023
ORELAP#: OR100028
Purchase Order:
Received: 12/21/23 10:05

Revision: 4 Document ID: 7148
 Legacy ID: Worksheet Validated 04/20/2021

Laboratory Quality Control Results

J AOAC 2015 V98-6 Batch ID: 2313884

Laboratory Control Sample									
Analyte	LCS	Result	Spike	Units	% Rec	Limits		Evaluation	Notes
CBDVA	2	0.0306	0.0299	%	102	80.0	- 120	Acceptable	
CBDV	2	0.0300	0.0292	%	103	80.0	- 120	Acceptable	
CBE	2	0.0324	0.0318	%	102	80.0	- 120	Acceptable	
CBD	1	0.0295	0.0288	%	103	90.0	- 110	Acceptable	
CBGA	1	0.0291	0.0287	%	101	80.0	- 120	Acceptable	
CBG	1	0.0287	0.0281	%	102	80.0	- 120	Acceptable	
THCV	2	0.0307	0.0300	%	102	90.0	- 110	Acceptable	
d8THCV	2	0.0326	0.0320	%	102	80.0	- 120	Acceptable	
THCVA	2	0.0287	0.0280	%	103	80.0	- 120	Acceptable	
THCVA	2	0.0295	0.0291	%	101	80.0	- 120	Acceptable	
CBN	1	0.0315	0.0300	%	105	80.0	- 120	Acceptable	
exo-THC	2	0.0300	0.0285	%	105	80.0	- 120	Acceptable	
d9THC	1	0.0329	0.0306	%	107	90.0	- 110	Acceptable	
d8THC	1	0.0318	0.0306	%	104	90.0	- 110	Acceptable	
9S-d10THC	1	0.0309	0.0296	%	104	80.0	- 120	Acceptable	
CBL	2	0.0305	0.0297	%	103	80.0	- 120	Acceptable	
9S-HHC	3	0.0273	0.0266	%	103	80.0	- 120	Acceptable	
9R-d10THC	1	0.0299	0.0289	%	103	80.0	- 120	Acceptable	
CB	2	0.0303	0.0298	%	102	80.0	- 120	Acceptable	
9R-HHC	3	0.0844	0.0802	%	105	80.0	- 120	Acceptable	
THCA	1	0.0298	0.0293	%	102	90.0	- 110	Acceptable	
CBCA	2	0.0308	0.0304	%	101	80.0	- 120	Acceptable	
CBLA	2	0.0317	0.0312	%	102	80.0	- 120	Acceptable	
d9THCP	2	0.0303	0.0298	%	102	80.0	- 120	Acceptable	
d8THCO	3	0.0317	0.0304	%	104	80.0	- 120	Acceptable	
CBT	2	0.0311	0.0310	%	100	80.0	- 120	Acceptable	
d9THCO	3	0.0315	0.0299	%	105	80.0	- 120	Acceptable	

Method Blank

Analyte	Result	LOQ	Units	Limits	Evaluation	Notes
CBDVA	<LOQ	0.00300	%	< 0.00300	Acceptable	
CBDV	<LOQ	0.00300	%	< 0.00300	Acceptable	
CBE	<LOQ	0.00300	%	< 0.00300	Acceptable	
CBD	<LOQ	0.00300	%	< 0.00300	Acceptable	
CBGA	<LOQ	0.00300	%	< 0.00300	Acceptable	
CBG	<LOQ	0.00300	%	< 0.00300	Acceptable	
THCV	<LOQ	0.00300	%	< 0.00300	Acceptable	
d8THCV	<LOQ	0.00300	%	< 0.00300	Acceptable	
THCVA	<LOQ	0.00300	%	< 0.00300	Acceptable	
CBN	<LOQ	0.00300	%	< 0.00300	Acceptable	
exo-THC	<LOQ	0.00300	%	< 0.00300	Acceptable	
d9THC	<LOQ	0.00300	%	< 0.00300	Acceptable	
d8THC	<LOQ	0.00300	%	< 0.00300	Acceptable	
9S-d10THC	<LOQ	0.00300	%	< 0.00300	Acceptable	
CBL	<LOQ	0.00300	%	< 0.00300	Acceptable	
9S-HHC	<LOQ	0.00300	%	< 0.00300	Acceptable	
9R-d10THC	<LOQ	0.00300	%	< 0.00300	Acceptable	
CB	<LOQ	0.00300	%	< 0.00300	Acceptable	
9R-HHC	<LOQ	0.00300	%	< 0.00300	Acceptable	
THCA	<LOQ	0.00300	%	< 0.00300	Acceptable	
CBCA	<LOQ	0.00300	%	< 0.00300	Acceptable	
CBLA	<LOQ	0.00300	%	< 0.00300	Acceptable	
d9THCP	<LOQ	0.00300	%	< 0.00300	Acceptable	
d8THCO	<LOQ	0.00300	%	< 0.00300	Acceptable	
CBT	<LOQ	0.00300	%	< 0.00300	Acceptable	
d9THCO	<LOQ	0.00300	%	< 0.00300	Acceptable	

Abbreviations

ND - None Detected at or above MRL
 RPD - Relative Percent Difference
 LOQ - Limit of Quantitation

Units of Measure:

% - Percent



12423 NE Whitaker Way
Portland, OR 97230
503-254-1794



Report Number: 23-014899/D005.R000
Report Date: 12/29/2023
ORELAP#: OR100028
Purchase Order:
Received: 12/21/23 10:05

Revision: 4 Document ID: 7148
Legacy ID: Worksheet Validated 04/20/2021

Laboratory Quality Control Results

J AOAC 2015 V98-6		Batch ID: 2313884						
Sample Duplicate		Sample ID: 23-014642-0001-01						
Analyte	Result	Org. Result	LOQ	Units	RPD	Limits	Evaluation	Notes
CBDVA	0.0493	0.0500	0.0295	%	1.29	< 20	Acceptable	
CBDV	<LOQ	<LOQ	0.0295	%	NA	< 20	Acceptable	
CBE	<LOQ	<LOQ	0.0295	%	NA	< 20	Acceptable	
CBDA	14.4	14.9	0.0295	%	3.45	< 20	Acceptable	
CBGA	1.03	1.04	0.0295	%	1.19	< 20	Acceptable	
CBG	0.142	0.142	0.0295	%	0.384	< 20	Acceptable	
CBD	0.576	0.581	0.0295	%	0.839	< 20	Acceptable	
THCV	<LOQ	<LOQ	0.0295	%	NA	< 20	Acceptable	
d8THCV	<LOQ	<LOQ	0.0295	%	NA	< 20	Acceptable	
THCVA	<LOQ	<LOQ	0.0295	%	NA	< 20	Acceptable	
CBN	0.0478	0.0480	0.0295	%	0.434	< 20	Acceptable	
exo-THC	<LOQ	<LOQ	0.0295	%	NA	< 20	Acceptable	
d9THC	<LOQ	<LOQ	0.0295	%	NA	< 20	Acceptable	
d8THC	14.3	14.7	0.0295	%	3.00	< 20	Acceptable	
9S-d10THC	<LOQ	<LOQ	0.0295	%	NA	< 20	Acceptable	
CBL	<LOQ	<LOQ	0.0295	%	NA	< 20	Acceptable	
9S-HHC	<LOQ	<LOQ	0.0295	%	NA	< 20	Acceptable	
9R-d10THC	<LOQ	<LOQ	0.0295	%	NA	< 20	Acceptable	
CBG	0.0786	0.0786	0.0295	%	0.00696	< 20	Acceptable	
9R-HHC	<LOQ	<LOQ	0.0295	%	NA	< 20	Acceptable	
THCA	0.582	0.589	0.0295	%	1.26	< 20	Acceptable	
CBGA	0.762	0.799	0.0295	%	4.72	< 20	Acceptable	
CBLA	<LOQ	<LOQ	0.0295	%	NA	< 20	Acceptable	
d9THCP	<LOQ	<LOQ	0.0295	%	NA	< 20	Acceptable	
d8THCO	<LOQ	<LOQ	0.0295	%	NA	< 20	Acceptable	
CBT	<LOQ	<LOQ	0.0295	%	NA	< 20	Acceptable	
d9THCO	<LOQ	<LOQ	0.0295	%	NA	< 20	Acceptable	

Abbreviations

ND - None Detected at or above MRL
RPD - Relative Percent Difference
LOQ - Limit of Quantitation

Units of Measure:

% - Percent



12423 NE Whitaker Way
Portland, OR 97230
503-254-1794



Report Number: 23-014899/D005.R000
Report Date: 12/29/2023
ORELAP#: OR100028
Purchase Order:
Received: 12/21/23 10:05





12423 NE Whitaker Way
 Portland, OR 97230
 503-254-1794



Report Number: 23-014899/D005.R000
Report Date: 12/29/2023
ORELAP#: OR100028
Purchase Order:
Received: 12/21/23 10:05

Explanation of QC Flag Comments:

Code	Explanation
Q	Matrix interferences affecting spike or surrogate recoveries.
Q1	Quality control result biased high. Only non-detect samples reported.
Q2	Quality control outside QC limits. Data considered estimate.
Q3	Sample concentration greater than four times the amount spiked.
Q4	Non-homogenous sample matrix, affecting RPD result and/or % recoveries.
Q5	Spike results above calibration curve.
Q6	Quality control outside QC limits. Data acceptable based on remaining QC.
R	Relative percent difference (RPD) outside control limit.
R1	RPD non-calculable, as sample or duplicate results are less than five times the LOQ.
R2	Sample replicates RPD non-calculable, as only one replicate is within the analytical range.
LOQ1	Quantitation level raised due to low sample volume and/or dilution.
LOQ2	Quantitation level raised due to matrix interference.
B	Analyte detected in method blank, but not in associated samples.
B1	The sample concentration is greater than 5 times the blank concentration.
B2	The sample concentration is less than 5 times the blank concentration.