

Mama Munchies LLC

1221 E. Las Olas Blvd Fort Lauderdale, FL 33301
(786) 376-0763
Project 12/07/2023

COMPLIANCE FOR RETAIL

Sample Name: Mamas Extra Strength Cannabis Infused Strawberry Lemonade

Date Sampled: 12/07/2023

Lab Sample ID: F312021-01

Matrix: Non-Inhalable Product

Date Received: 12/07/2023

Retail Batch Total Wt/Vol: N/A

Retail Batch Total Units: N/A

Date Reported: 12/12/2023

Retail Batch Date: N/A

Total Wt, Vol or Unit Sampled: 2



Total Cannabinoids	
77.16 mg/Unit	
Major Cannabinoids	
Total CBD	Total THC
0.00461%	0.0115%
0.046 mg/g	0.115 mg/g
21.81 mg/Unit	54.40 mg/Unit
Minor Cannabinoids *	
CBG	
0.000200%	
0.002 mg/g	
0.95 mg/Unit	

* Most abundant

Cannabinoids

Date Prepared: 12/07/23 15:15
Date Analyzed: 12/08/23 16:47
Lab Batch: B23J049

Prep ID: KC
Analyst ID: SP

Specimen Prep: 10 g / 10 mL
Instrument: HPLC

Prep/Analysis Method: ACCU LAB SOP15


Analyte	Dilution	LOQ	Results	Results	mg/Serving
		%	%	mg/g	mg/Unit
THCA	2	0.000200	ND	ND	ND
delta-9-THC	2	0.000200	0.0115	0.115	54.40
delta-8-THC	2	0.000200	ND	ND	ND
THCV	2	0.000200	ND	ND	ND
CBD	2	0.000200	0.00461	0.046	21.81
CBDA	2	0.000200	ND	ND	ND
CBDV	2	0.000200	ND	ND	ND
CBN	2	0.000200	ND	ND	ND
CBCA	2	0.000200	ND	ND	ND
CBG	2	0.000200	0.000200	0.002	0.95
CBGA	2	0.000200	ND	ND	ND
CBC	2	0.000200	ND	ND	ND
THCVA	2	0.000200	ND	ND	ND
CBDVA	2	0.000200	ND	ND	ND

Definitions and Abbreviations used in this report:

Total CBD = CBD + (CBD-A * 0.877), Total THC = THCA-A * 0.877 + Delta 9 THC

LOQ = Limit of Quantitation, LOD = Limit of Detection, DIL = Dilution Factor, (ppb) = Parts per Billion, (%) = Percent, (cfu/g) = Colony Forming Unit per Gram, (µg/g) = Microgram per Gram, (ppm) = Parts per Million, (N/A) Not Analyzed, (ND) Non-Detect. Total Contaminant Load (TCL) - The sum of all Heavy Metals and Agricultural Agents present above the LOQ, but below the Acceptable Limit.

This report shall not be reproduced except in its entirety without the written approval of AccuScience Laboratories. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. This laboratory is accredited in accordance with International Standard ISO/IEC 17025.



PJLA
Testing
Accreditation#: 109150

Dr. Harry Bezhadi, PhD.
President, CEO

