



Certificate of Analysis
Compliance Test

Client Information:

HEMP LIVING, LLC
11907 W DEARBOURN AVE
WAUWATOSA, WI 53226

Batch # HL-ADIAMSCE-031623
Batch Date: 2023-03-16
Extracted From:Hemp

Test Reg State:Oregon

Order #HEM230316-010001
Order Date: 2023-03-16
Sample # AAEF823

Sampling Date: 2023-03-21
Lab Batch Date: 2023-03-21
Completion Date: 2023-03-28

Initial Gross Weight:43.797 g



Product Image

Potency **HHCP**
Tested **Tested**

Potency 23 (LCUV) ***

Specimen Weight: 47.760 mg

Analyte	Dilution (1:n)	LOD (%)	LOQ (%)	Result (mg/g)	SOP13.002 (LCUV) (%)
THCA-A	1000.000	3.20E-5	0.0015	398.7000	39.8700
Delta-8 THC	100.000	2.60E-5	0.0015	56.2800	5.6280
CBN	100.000	1.40E-5	0.0015	34.5200	3.4520
CBD	10.000	5.40E-5	0.0015	7.0620	0.7062
CBGA	10.000	8.00E-5	0.0015	5.6290	0.5629
THCVA	10.000	4.70E-5	0.0015	2.4540	0.2454
CBT	10.000	2.00E-4	0.0015	2.3630	0.2363
Delta-9 THC-O Acetate	10.000	7.70E-5	0.003	1.8080	0.1808
CBDA	10.000	1.00E-5	0.0015	0.8210	0.0821
THCV	10.000	7.00E-6	0.0015	0.3450	0.0345
CBC	100.000	1.80E-5	0.0015	<LOQ	<LOQ
CBCA	10.000	1.07E-4	0.0015	<LOQ	<LOQ
CBDV	10.000	6.50E-5	0.0015	<LOQ	<LOQ
CBDVA	10.000	1.40E-5	0.0015	<LOQ	<LOQ
CBG	10.000	2.48E-4	0.0015	<LOQ	<LOQ
CBL	10.000	3.50E-5	0.0015	<LOQ	<LOQ
CBNA	10.000	9.50E-5	0.0015	<LOQ	<LOQ
Delta-8 THC-O Acetate	10.000	2.70E-5	0.003	<LOQ	<LOQ
Delta-8 THCV	10.000	4.00E-5	0.0015	<LOQ	<LOQ
Delta-9 THC	100.000	1.30E-5	0.0015	<LOQ	<LOQ
Delta8-THCP	10.000	3.75E-4	0.0015	<LOQ	<LOQ
Delta9-THCP	10.000	1.17E-5	0.0012	<LOQ	<LOQ
Exo-THC	10.000	2.30E-4	0.0015	<LOQ	<LOQ
Total Active CBD	1000.000			7.782	0.778
Total Active THC	1000.000			349.660	34.966

Potency Summary

Total HHC 19.965%	Total Active THC 34.966%
Total Active CBD 0.778%	Total CBG 0.494%
Total CBN 3.452%	Other Cannabinoids 6.293%
Total Cannabinoids 65.948%	

Aixia Sun
Aixia Sun Lab Director/Principal Scientist
D.H.Sc., M.Sc., B.Sc., MT (AAB)

Definitions and Abbreviations used in this report: Total Active CBD = CBD + (CBD-A * 0.877) + Total CBDV = CBDV + (CBDVA * 0.87), Total Active THC = THCA-A * 0.877 + Delta 9 THC, Total THCV = THCV + (THCVA * 0.87), CBG Total = (CBGA * 0.877) + CBG, CBN Total = (CBNA * 0.877) + CBN, Total CBC = CBC + (CBCA * 0.877), Total THC-O-Acetate = Delta 8 THC-O-Acetate + Delta 9 THC-O-Acetate, Total THCP = Delta8-THCP + Delta9-THCP, Other Cannabinoids Total = Total Cannabinoids - All the listed cannabinoids on the summary section, Total Detected Cannabinoids = Delta8-THC + Delta9-THC + Total CBN + CBT + CBE + Delta8-THCV + Total CBG + Total CBD + Total THCV + CBL + Total THC + Total CBC + Total CBDV + Delta10-THC + Total THC-O-Acetate + Total THCP. (mg/ml) = Milligrams per Milliliter, LOQ = Limit of Quantitation, LOD = Limit of Detection, Dilution = Dilution Factor (ppt) = Parts per Billion, (%) = Percent, (cfu/g) = Colony Forming Unit per Gram, (cfu/g) = Colony Forming Unit per Gram, LOD = Limit of Detection, (µg/g) = Microgram per Gram (ppm) = Parts per Million, (ppm) = (µg/g), (aw) = aw (area ratio) = Area Ratio, (mg/Kg) = Milligram per Kilogram, Passed - Analyte/microbe is non-detected or at the level below the action limit, Failed - Analyte/microbe is at the level that equal or above the action limit, *Measurement of Uncertainty = +/- 10%

This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard. The tests and/or calibrations marked with an "*****" are not ISO/IEC 17025:2017 accredited test results.





Certificate of Analysis
Compliance Test

Client Information: HEMP LIVING, LLC 11907 W DEARBOURN AVE WAUWATOSA, WI 53226	Batch # HL-ADIAMSCE-031623 Batch Date: 2023-03-16 Extracted From: Hemp	Test Reg State: Oregon
Order # HEM230316-010001 Order Date: 2023-03-16 Sample # AAEF823	Sampling Date: 2023-03-21 Lab Batch Date: 2023-03-21 Completion Date: 2023-03-28	Initial Gross Weight: 43.797 g

HHCP ***		Tested							
Specimen Weight: 47.760 mg		SOP13.050 (LCMS)							
Dilution Factor: 5000.000									
Analyte	LOD (%)	LOQ (%)	Result (mg/g)	(%)	Analyte	LOD (%)	LOQ (%)	Result (mg/g)	(%)
(9R)-HHC	3.1100E-7	7.5E-5	132.0000	13.2	9(S)-HHCP	2.5500E-6	7.5E-5	<LOQ	<LOQ
(9S)-HHC	8.7400E-7	7.5E-5	66.4000	6.64	Delta-9 THC	2.8000E-5	7.5E-5	<LOQ	<LOQ
(±)-9β-hydroxy-HHC	4.5800E-7	7.5E-5	1.2500	0.125	Total HHC			199.6500	19.965
9(R)-HHCP	3.0900E-6	7.5E-5	<LOQ	<LOQ					

Aixia Sun Lab Director/Principal Scientist
D.H.Sc., M.Sc., B.Sc., MT (AAB)



Definitions and Abbreviations used in this report: Total Active CBD = CBD + (CBD-A * 0.877) * Total CBDV = CBDV + (CBDVA * 0.87) * Total Active THC = THCA-A * 0.877 + Delta 9 THC * Total THCV = THCV + (THCVA * 0.87) * CBG Total = (CBGA * 0.877) + CBG * CBN Total = (CBNA * 0.877) + CBN * Total CBC = CBC + (CBCA * 0.877) * Total THC-O-Acetate = Delta 8 THC-O-Acetate + Delta 9 THC-O-Acetate * Total THCP = Delta8-THCP + Delta9-THCP * Other Cannabinoids Total = Total Cannabinoids - All the listed cannabinoids on the summary section, Total Detected Cannabinoids = Delta6a10a-THC + Delta8-THC + Total CBN + CBT + CBE + Delta8-THCV + Total CBG + Total CBD + Total THCV + CBL + Total THC + Total CBC + Total CBDV + Delta10-THC + Total THC-O-Acetate + Total THCP. (mg/ml) = Milligrams per Milliliter, LOQ = Limit of Quantitation, LOD = Limit of Detection, Dilution = Dilution Factor (ppt) = Parts per Billion, (%) = Percent, (cfu/g) = Colony Forming Unit per Gram (cfu/g) = Colony Forming Unit per Gram, LOD = Limit of Detection, (µg/g) = Microgram per Gram (ppm) = Parts per Million, (µg/g), (aw) = aw (area ratio) = Area Ratio, (mg/Kg) = Milligram per Kilogram, Passed - Analyte/microbe is non-detected or at the level below the action limit, Failed - Analyte/microbe is at the level that equal or above the action limit, *Measurement of Uncertainty = +/- 10%

This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard. The tests and/or calibrations marked with an "*****" are not ISO/IEC 17025:2017 accredited test results.