



# Certificate of Analysis

## COMPLIANCE FOR RETAIL











Sample: DA31107017-031  
Harvest/Lot ID: M26/ 52-53-54-56-58  
Batch#: M26/ 52-53-54-56-58  
Batch Date: 10/03/23  
Sample Size Received: 45.80 gram  
Total Amount: 50 gram  
Retail Product Size: 50 gram  
Sample Density: 1.0 g/mL  
Ordered: 11/03/23  
Sampled: 11/07/23  
Completed: 11/09/23  
Revision Date: 11/18/23  
Sampling Method: SOP.T.20.010.FL

**PASSED**


Nov 18, 2023 | White Lab LLC  
4028 North 29th Avenue  
Hollywood, FL, 33020, US



Pages 1 of 5

PRODUCT IMAGE	SAFETY RESULTS								MISC.
	 Pesticides <b>PASSED</b>	 Heavy Metals <b>PASSED</b>	 Microbials <b>PASSED</b>	 Mycotoxins <b>PASSED</b>	 Residuals Solvents <b>PASSED</b>	 Filtration <b>PASSED</b>	 Water Activity NOT TESTED	 Moisture NOT TESTED	 Terpenes NOT TESTED

 **Cannabinoid** **PASSED**



Analyzed by: 3605, 1665, 585, 1440      Weight: 3.0639g      Extraction date: 11/08/23 11:15:53      Extracted by: 1665,3605

Analysis Method : SOP.T.40.031, SOP.T.30.031      Reviewed On : 11/09/23 11:05:11  
Analytical Batch : DA066150POT      Batch Date : 11/08/23 07:50:32  
Instrument Used : DA-LC-007  
Analyzed Date : 11/08/23 11:16:19

Dilution : 400  
Reagent : 110723.R01; 070621.18; 110723.R03  
Consumables : 947.109; 280670723; CE0123; R1KB14270  
Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
Lab Director  
State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation P/LA-  
Testing 97164

  
Signature  
11/09/23

Revision: #1 - Added LCV.  
Revision: #2 - Upgraded to full panel.



# Certificate of Analysis

**PASSED**

White Lab LLC

4028 North 29th Avenue  
Hollywood, FL, 33020, US  
Telephone: (786) 659-2694  
Email: whitelabusa@gmail.com

Sample : DA31107017-031

Harvest/Lot ID: M26/ 52-53-54-56-58

Batch# : M26/ 52-53-54-56-58 Sample Size Received : 45.80 gram  
Sampled : 11/07/23 Total Amount : 50 gram  
Ordered : 11/07/23 Completed : 11/09/23 Expires: 11/18/24  
Sample Method : SOP Client Method

Page 2 of 5



## Pesticides


**PASSED**

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	30	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	3	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	1	PASS	ND	PHOSMET	0.010	ppm	0.2	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	1	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	3	PASS	ND	PRALLETHRIN	0.010	ppm	0.4	PASS	ND
TOTAL SPINOSAD	0.010	ppm	3	PASS	ND	PROPICONAZOLE	0.010	ppm	1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.3	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	3	PASS	ND	PYRIDABEN	0.010	ppm	3	PASS	ND
ACEQUINOCYL	0.010	ppm	2	PASS	ND	SPIROMESIFEN	0.010	ppm	3	PASS	ND
ACETAMIPRID	0.010	ppm	3	PASS	ND	SPIROTETRAMAT	0.010	ppm	3	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	3	PASS	ND	TEBUCONAZOLE	0.010	ppm	1	PASS	ND
BIFENAZATE	0.010	ppm	3	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.5	PASS	ND	THIAMETHOXAM	0.010	ppm	1	PASS	ND
BOSCALID	0.010	ppm	3	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	3	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	PPM	0.2	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	PPM	0.1	PASS	ND
CHLORANTRILIPROLE	0.010	ppm	3	PASS	ND	CAPTAN *	0.070	PPM	3	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	3	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.5	PASS	ND	CYFLUTHRIN *	0.050	PPM	1	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	1	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND						
DIAZINON	0.010	ppm	3	PASS	ND	<b>Analyzed by:</b> 585, 3379 <b>Weight:</b> 0.931g <b>Extraction date:</b> 11/16/23 17:40:27 <b>Extracted by:</b> 450,585 <b>Analysis Method :</b> SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie) <b>Analytical Batch :</b> DA066473PES <b>Reviewed On :</b> 11/18/23 13:06:47 <b>Instrument Used :</b> DA-LCMS-003 (PES) <b>Batch Date :</b> 11/16/23 11:31:05 <b>Analyzed Date :</b> 11/17/23 15:31:21 <b>Dilution :</b> 250 <b>Reagent :</b> 111323.R02; 040423.08; 111323.R01; 111523.R03; 110923.R03; 101023.R01; 111523.R01 <b>Consumables :</b> 326250IW <b>Pipette :</b> DA-093; DA-094; DA-219 Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
DICHLORVOS	0.010	ppm	0.1	PASS	ND	<b>Analyzed by:</b> 450, 585 <b>Weight:</b> 0.931g <b>Extraction date:</b> N/A <b>Extracted by:</b> 450 <b>Analysis Method :</b> SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL (Gainesville) <b>Analytical Batch :</b> DA066474VOL <b>Reviewed On :</b> 11/17/23 10:28:40 <b>Instrument Used :</b> DA-GCMS-001 <b>Batch Date :</b> 11/16/23 11:34:56 <b>Analyzed Date :</b> 11/16/23 17:57:05 <b>Dilution :</b> 25 <b>Reagent :</b> 111323.R02; 040423.08; 103123.R19; 103123.R20 <b>Consumables :</b> 326250IW; 14725401 <b>Pipette :</b> DA-080; DA-146; DA-218 Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND						
ETOFENPROX	0.010	ppm	0.1	PASS	ND						
ETOXAZOLE	0.010	ppm	1.5	PASS	ND						
FENHEXAMID	0.010	ppm	3	PASS	ND						
FENOXYCARB	0.010	ppm	0.1	PASS	ND						
FENPYROXIMATE	0.010	ppm	2	PASS	ND						
FIPRONIL	0.010	ppm	0.1	PASS	ND						
FLONICAMID	0.010	ppm	2	PASS	ND						
FLUDIOXONIL	0.010	ppm	3	PASS	ND						
HEXYTHIAZOX	0.010	ppm	2	PASS	ND						
IMAZALIL	0.010	ppm	0.1	PASS	ND						
IMIDACLOPRID	0.010	ppm	1	PASS	ND						
KRESOXIM-METHYL	0.010	ppm	1	PASS	ND						
MALATHION	0.010	ppm	2	PASS	ND						
METALAXYL	0.010	ppm	3	PASS	ND						
METHIACARB	0.010	ppm	0.1	PASS	ND						
METHOMYL	0.010	ppm	0.1	PASS	ND						
MEVINPHOS	0.010	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.010	ppm	3	PASS	ND						
NALED	0.010	ppm	0.5	PASS	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation P/LA-  
Testing 97164



Signature  
11/09/23

Revision: #1 - Added LCV.  
Revision: #2 - Upgraded to full panel.



# Certificate of Analysis

**PASSED**

White Lab LLC

4028 North 29th Avenue  
Hollywood, FL, 33020, US  
Telephone: (786) 659-2694  
Email: whitelabusa@gmail.com

Sample : DA31107017-031

Harvest/Lot ID: M26/ 52-53-54-56-58

Batch# : M26/ 52-53-54-56-58

Sampled : 11/07/23

Ordered : 11/07/23


Sample Size Received : 45.80 gram

Total Amount : 50 gram

Completed : 11/09/23 Expires: 11/18/24

Sample Method : SOP Client Method

Page 3 of 5



## Residual Solvents

**PASSED**

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
ETHANOL	500.000	ppm	5000	PASS	ND
ETHYL ACETATE	40.000	ppm	400	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
ETHYL ETHER	50.000	ppm	500	PASS	ND
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND
HEPTANE	500.000	ppm	5000	PASS	ND
METHANOL	25.000	ppm	250	PASS	ND
N-HEXANE	25.000	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
TOLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND

Analized by: 850, 585	Weight: 0.0251g	Extraction date: 11/17/23 11:52:15	Extracted by: 850
--------------------------	--------------------	---------------------------------------	----------------------

Analysis Method : SOP.T.40.041.FL  
Analytical Batch : DA06648650L  
Instrument Used : DA-GCMS-003  
Analyzed Date : 11/16/23 15:05:56

Reviewed On : 11/17/23 13:32:29  
Batch Date : 11/16/23 14:58:58

Dilution : 1  
Reagent : N/A  
Consumables : N/A  
Pipette : N/A

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.



# Certificate of Analysis

**PASSED**

White Lab LLC

4028 North 29th Avenue  
Hollywood, FL, 33020, US  
Telephone: (786) 659-2694  
Email: whitelabusa@gmail.com

Sample : DA31107017-031

Harvest/Lot ID: M26/ 52-53-54-56-58

Batch# : M26/ 52-53-54-56-58 Sample Size Received : 45.80 gram  
Sampled : 11/07/23 Total Amount : 50 gram  
Ordered : 11/07/23 Completed : 11/09/23 Expires: 11/18/24  
Sample Method : SOP Client Method

Page 4 of 5

	<b>Microbial</b>	<b>PASSED</b>		<b>Mycotoxins</b>	<b>PASSED</b>
---	------------------	---------------	---	-------------------	---------------

Analyte	LOD	Units	Result	Pass / Fail	Action Level
SALMONELLA SPECIFIC GENE			Not Present	PASS	
ECOLI SHIGELLA			Not Present	PASS	
ASPERGILLUS FLAVUS			Not Present	PASS	
ASPERGILLUS FUMIGATUS			Not Present	PASS	
ASPERGILLUS TERREUS			Not Present	PASS	
ASPERGILLUS NIGER			Not Present	PASS	
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000

Analyzed by: 3621, 3390, 585 Weight: 1.0352g Extraction date: 11/16/23 12:15:11 Extracted by: 3336,3621

Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA066481MIC Reviewed On : 11/17/23 11:11:00 Batch Date : 11/16/23 11:54:05

Instrument Used : PathogenDx Scanner DA-111, Applied Biosystems MiniAmp Thermocycler DA-190, fisherbrand Isotemp Heat Block DA-020, fisherbrand Isotemp Heat Block DA-049, Fisher Scientific Isotemp Heat Block DA-021 Analyzed Date : 11/16/23 13:45:49

Dilution : N/A Reagent : 083123.131; 102323.R20; 081023.07; 083123.104 Consumables : 7566004014; 7566004030 Pipette : N/A

Analyte	LOD	Units	Result	Pass / Fail	Action Level
AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
AFLATOXIN G2	0.002	ppm	ND	PASS	0.02

Analyzed by: 585, 3379 Weight: 0.931g Extraction date: 11/16/23 17:40:27 Extracted by: 450,585

Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie) Analytical Batch : DA066491MYC Reviewed On : 11/18/23 13:09:45 Batch Date : 11/16/23 16:18:00

Instrument Used : N/A Analyzed Date : 11/17/23 15:31:15

Dilution : 250 Reagent : 111323.R02; 040423.08; 111323.R01; 111523.R03; 110923.R03; 101023.R01; 111523.R01 Consumables : 326250IW Pipette : DA-093; DA-094; DA-219

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

Analyte	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	5
ARSENIC	0.020	ppm	ND	PASS	1.5
CADMIUM	0.020	ppm	ND	PASS	0.5
MERCURY	0.020	ppm	ND	PASS	3
LEAD	0.020	ppm	ND	PASS	0.5

Analyzed by: 1022, 585 Weight: 0.2574g Extraction date: 11/16/23 13:25:53 Extracted by: 1022,4306

Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL Analytical Batch : DA066485TYM Reviewed On : 11/18/23 14:01:15 Batch Date : 11/16/23 13:47:58

Instrument Used : Incubator (25-27C) DA-096 Analyzed Date : 11/16/23 14:06:34

Dilution : N/A Reagent : 083123.131; 101723.R10 Consumables : N/A Pipette : N/A

Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	5
ARSENIC	0.020	ppm	ND	PASS	1.5
CADMIUM	0.020	ppm	ND	PASS	0.5
MERCURY	0.020	ppm	ND	PASS	3
LEAD	0.020	ppm	ND	PASS	0.5

Analyzed by: 1022, 585 Weight: 0.2574g Extraction date: 11/16/23 13:25:53 Extracted by: 1022,4306

Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Analytical Batch : DA066462HEA Reviewed On : 11/17/23 15:34:24 Batch Date : 11/16/23 10:28:24

Instrument Used : DA-ICPMS-004 Analyzed Date : 11/17/23 10:35:05

Dilution : 50 Reagent : 102723.R12; 111023.R05; 110123.R33; 111023.R03; 111023.R04; 110123.R34; 110123.49; 111023.R06 Consumables : 179436; 210508058; 12594-247CD-247C Pipette : DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.



4131 SW 47th AVENUE SUITE 1408  
 DAVIE, FL, 33314, US  
 (954) 368-7664

Kaycha Labs

.....  
 Cookie Base  
 N/A  
 Matrix : Edible  
 Type: Baked Goods



# Certificate of Analysis

**PASSED**

White Lab LLC

4028 North 29th Avenue  
 Hollywood, FL, 33020, US  
 Telephone: (786) 659-2694  
 Email: whitelabusa@gmail.com

Sample : DA31107017-031

Harvest/Lot ID: M26/ 52-53-54-56-58

Batch# : M26/ 52-53-54-56-58 Sample Size Received : 45.80 gram  
 Sampled : 11/07/23 Total Amount : 50 gram  
 Ordered : 11/07/23 Completed : 11/09/23 Expires: 11/18/24  
 Sample Method : SOP Client Method

Page 5 of 5

	<b>Filth/Foreign Material</b>	<b>PASSED</b>
--	-------------------------------	---------------

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1

Analyzed by:	Weight:	Extraction date:	Extracted by:
1879, 585	NA	N/A	N/A


Analysis Method : SOP.T.40.090  
 Analytical Batch : DA066493FIL  
 Instrument Used : Filth/Foreign Material Microscope  
 Analyzed Date : 11/16/23 19:54:42  
 Reviewed On : 11/16/23 20:03:42  
 Batch Date : 11/16/23 19:32:09

Dilution : N/A  
 Reagent : N/A  
 Consumables : N/A  
 Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
 Lab Director  
 State License # CMTL-0002  
 ISO 17025 Accreditation # ISO/IEC  
 17025:2017 Accreditation P/JLA-  
 Testing 97164



Signature  
 11/09/23

Revision: #1 - Added LCV.  
 Revision: #2 - Upgraded to full panel.